State of California AIR RESOURCES BOARD

Resolution 03-36

December 11, 2003

Agenda Item No.: 03-10-5

WHEREAS, the Air Resources Board has been directed to carry out an effective research program in conjunction with its efforts to combat air pollution, pursuant to Health and Safety Code sections 39700 through 39705;

WHEREAS, a research proposal, number 2515-224, entitled "Gas-Phase Formation Rates of Nitric Acid and its Isomers under Urban Conditions," has been submitted by California Institute of Technology/NASA/Jet Propulsion Laboratory;

WHEREAS, the Research Division staff has reviewed and recommended this proposal for approval; and

WHEREAS, the Research Screening Committee has reviewed and recommends for funding:

Proposal Number 2515-224 entitled "Gas-Phase Formation Rates of Nitric Acid and its Isomers under Urban Conditions," submitted by California Institute of Technology/NASA/Jet Propulsion Laboratory, for a total amount not to exceed \$180,000.

NOW, THEREFORE BE IT RESOLVED, that the Air Resources Board, pursuant to the authority granted by Health and Safety Code section 39703, hereby accepts the recommendation of the Research Screening Committee and approves the following:

Proposal Number 2515-224 entitled Gas-Phase Formation Rates of Nitric Acid and its Isomers under Urban Conditions,"0 submitted by California Institute of Technology/NASA/Jet Propulsion Laboratory, for a total amount not to exceed \$180,000.

BE IT FURTHER RESOLVED, that the Executive Officer is hereby authorized to initiate administrative procedures and execute all necessary documents and contracts for the research effort proposed herein, and as described in Attachment A, in an amount not to exceed \$180,000.

I hereby certify that the above is a true and correct copy of Resolution 03-36, as adopted by the Air Resources Board.

Stacey Dorais, Clerk of the Board

ATTACHMENT A

"Gas-Phase Formation Rates of Nitric Acid and its Isomers under Urban Conditions"

Background

Urban airshed models are indispensable tools in the assessment of control strategies for NOx and VOCs. The controlling processes for ozone formation in such models are fast free-radical reactions. These reactions involve the generation of free radicals (primarily through photolysis reactions), conversion and regeneration of radicals, and removal of radicals through termination reactions. An important process in this latter category is the formation of nitric acid from the hydroxyl radical OH and nitrogen dioxide NO₂: OH + NO₂ + M = HNO₃ + M, where M is an inert bath gas, such as N₂. This reaction removes two short-lived reactive intermediates, OH and NO₂, and produces a relatively long-lived product, HNO₃. The significance of this termination step to urban airshed models is reflected in the high sensitivities of the spatial and temporal distributions of ozone from models to the value of the rate constant. For example, propagation of the uncertainty in the OH+NO₂ rate constant (~25%) in an urban airshed model produces an uncertainty of 35 ppbv in the calculated ozone concentration at a site downwind (i.e. ~25-50% uncertainty in the total ozone concentration). Also, this overall reaction is comprised of two reaction channels in which nitric acid HNO3 and peroxynitrous acid HOONO are produced; complications arising from these channels introduce an additional uncertainty of 10-20% in the rate constant.

Objective

This primary objectives of this research are: 1) determine kinetic data for the radical termination reaction $OH + NO_2 + M \rightarrow products$, and 2) measure the branching ratio for the formation of the isomers HNO₃ and HOONO, which are produced by this reaction.

Methods

A new laser photolysis/laser-induced fluorescence apparatus will be used to obtain kinetic data for the reaction OH + NO₂. The reaction will be studied over the temperature range 250-310 K and the pressure range 500-800 Torr. The Chemical Kinetics and Photochemistry Group will carry out this work at NASA Jet Propulsion Laboratories. The targeted uncertainty in the rate constant is 15% or less. The branching ratios for the formation of the products HNO₃ and HOONO will also be measured. The groups of Professor M. Okumura and Professor P. Wennberg at the California Institute of Technology will carry out these studies using the techniques of infrared cavity ringdown spectroscopy and near-infrared photofragment (action) spectroscopy.

Expected Results

This project will determine kinetic and mechanistic information about a key radical termination process under urban conditions. This information is essential to improve the predictive capabilities of urban airshed models with respect to oxidant formation.

Significance to the Board

This project will improve our understanding of an important termination pathway for both OH and NO_X. The kinetic information obtained about this process will further the predictive capabilities of urban airshed models, which in turn will help determine the relative effectiveness of NO_X and VOC controls on oxidant formation in urban areas. In addition, since this termination step is the primary pathway for the production of gas-phase nitric acid, this project may also have implications for the control of particulate matter.

Contractor:

California Institute of Technology

Contract Period:

24 Months

Principal Investigator (PI): Professor Mitchio Okumura

Contract Amount:

\$180,000

Basis for Indirect Cost Rate:

Cost pools for functions and activities within this group are titled: (1) Engineering and Science, (2a) Procurement-subcontracts, (2b) Procurement-Purchase Orders, and (3) General. The accounting practice constructs each pool based on the nature of the specified functions or activities performed with costs consistently accumulated by expenditure type regardless of the associated organization.

Past Experience with this Principal Investigator:

Professor Mitchio Okumura is the head of a laser spectroscopy laboratory which contains several state-of-the-art instruments for high-sensitivity investigations of atmospheric radicals and transient species. He is a recognized leader in research concerning elementary reaction kinetics and photochemical processes relevant to the troposphere and stratosphere.

Prior Research Division Funding to CIT:

Year	2002	2001	2000
Funding	\$0	\$0	\$0

BUDGET SUMMARY

California Institute of Technology

"Gas-Phase Formation Rates of Nitric Acid and its Isomers under Urban Conditions"

DIRECT COSTS AND BENEFITS

1.	Labor and Employee Fringe Benefits	\$81,925	
2.	Subcontractors	\$10,000	
3.	Equipment	\$13,792	
4.	Travel and Subsistence	\$ 700	
5.	Electronic Data Processing	\$ 0	
6.	Reproduction/Publication	\$ 0	
7.	Mail and Phone	\$ 0	
8.	Supplies	\$ 4,000	
9.	Analyses	\$ 0	
10.	Miscellaneous	<u>\$15,875</u>	
	Total Direct Costs		\$126,292
INDIR	ECT COSTS		
1.	Overhead	\$53,708	
2.	General and Administrative Expenses	\$ 0	
3.	Other Indirect Costs	\$0	
4.	Fee or Profit	<u>\$0</u>	
	Total Indirect Costs		<u>\$53,708</u>
TOTAL PROJECT COSTS			<u>\$180,000</u>

SUBCONTRACTORS' BUDGET SUMMARY

Subcontractor: JPL Work Order

Description of subcontractor's responsibility: The post-doctoral fellow supported in the group of Professor M. Okumura, California Institute of Technology, will carry out experiments at the Jet Propulsion Laboratory under the supervision of Dr. Stanley Sander. Funds are requested for material and expenses associated with the execution of the LP/LIF experiments at JPL. These expenses include:

DIRECT COSTS AND BENEFITS

1	Labor and Employee Fringe Benefits	\$ 0	
2	Subcontractors	\$ 0	
3	Fauipment	\$ 6 000	
4	Travel and Subsistence	\$ 0	
	Electronic Data Processing	\$ 0	
5. 6	Peproduction/Publication	0 ¢ 0 2	
0. 7	Meil and Dhone	\$ 0 \$ 0	
<i>1</i> .		φ Φ 4 000	
ð.	Supplies	\$ 4,000	
9.	Analyses	\$ 0	
10.	Miscellaneous	<u>\$0</u>	
	Total Direct Costs		<u>\$10,000</u>
INDI	RECT COSTS		
1.	Overhead	\$0	
2.	General and Administrative Expenses	\$ 0	
3	Other Indirect Costs	\$ 0	
۵. ۲	Fee or Profit	\$ 0	
т.		$\frac{\Psi}{\Psi}$	
	Total Indirect Costs		<u>\$0</u>
тот	AL PROJECT COSTS		\$10.000